

Prepared For :
Tim Cunningham
KANSAS STATE OF
900 SW JACKSON ST
TOPEKA, KS 66612
UNITED STATES
Phone :785-296-3853

Prepared by:
Mike Grady
Truck Center Companies
2955 S. WEST STREET
WICHITA, KS 67217
Phone :316-945-5600




A proposal for
KANSAS STATE OF

Prepared by
Truck Center Companies

Mike Grady

August 29, 2025

Freightliner 108SD Plus



Components shown may not reflect all spec'd options and are not to scale



Prepared For :
Tim Cunningham
KANSAS STATE OF
900 SW JACKSON ST
TOPEKA, KS 66612
UNITED STATES
Phone :785-296-3853

Prepared by:
Mike Grady
Truck Center Companies
2955 S. WEST STREET
WICHITA, KS 67217
Phone :316-945-5600

QUOTATION

108SD PLUS CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK 5075MM (200 INCH) WHEELBASE
CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM NO FIFTH WHEEL
ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO 7/16X3-9/16X11-1/8 INCH STEEL FRAME
PROVISION (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
MERITOR MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE 1600MM (63 INCH) REAR FRAME OVERHANG
TUFTRAC GEN2 40,000# REAR SPRING SUSPENSION
DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP SINGLE TEM TO EVALUATE AND INSTALL FRAME RAIL
FRONT AXLE REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED
EQUIPMENT
20,000# FLAT LEAF FRONT SUSPENSION
108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

			PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	121,811	\$	121,811
EXTENDED WARRANTY		\$	0	\$	0
DEALER INSTALLED OPTIONS		\$	155,831	\$	155,831
CUSTOMER PRICE BEFORE TAX		\$	277,642	\$	277,642
TAXES AND FEES					
FEDERAL EXCISE TAX (FET)		\$	(262)	\$	(262)
TAXES AND FEES		\$	0	\$	0
OTHER CHARGES		\$	0	\$	0
TRADE-IN					
TRADE-IN ALLOWANCE		\$	0	\$	0
BALANCE DUE	(LOCAL CURRENCY)	\$	277,380	\$	277,380

COMMENTS:
Projected delivery on ___/___/___ provided the order is received before ___/___/___.

APPROVAL:
Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___/___/___.



Prepared For :
Tim Cunningham
KANSAS STATE OF
900 SW JACKSON ST
TOPEKA, KS 66612
UNITED STATES
Phone :785-296-3853

Prepared by:
Mike Grady
Truck Center Companies
2955 S. WEST STREET
WICHITA, KS 67217
Phone :316-945-5600

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-29D	SD PRL-29D (EFF:MY26 ORDERS)			STD
Data Version				
DRL-003	SPECPRO21 DATA RELEASE VER 003			N/C
Vehicle Configuration				
001-176	108SD PLUS CONVENTIONAL CHASSIS	6,829	3,748	\$134,782.00
004-226	2026 MODEL YEAR SPECIFIED			STD
002-004	SET BACK AXLE - TRUCK			STD
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	\$1,025.00
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			N/C
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
99D-027	EPA CLEAN IDLE LABEL FOR INITIAL REGISTRATION IN EPA OR ACT STATES - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)			STD
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			N/C
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA4-010	DIRT/SAND/ROCK COMMODITY			N/C
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-1A0	FREIGHTLINER SD VOCATIONAL WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD 18000.0 lbs			



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD 40000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY 58000.0 lbs			
A70-99D	EXPECTED GROSS COMBINATION WEIGHT 60000.0 lbs			
Truck Service				
AA3-018	FRONT PLOW/END DUMP BODY			N/C
AF3-142	MONROE TRUCK EQUIPMENT			N/C
Tractor Service				
AA2-005	FLATBED TRAILER			N/C
AH6-001	SINGLE (1) TRAILER			N/C
Engine				
101-3BU	CUM L9 370 HP @ 2100 RPM; 2100 GOV RPM, 1250 LB-FT @ 1200 RPM			\$7,775.00
Electronic Parameters				
79A-070	70 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-010	PTO MODE ENGINE RPM LIMIT - 1300 RPM			N/C
79P-032	PTO RPM CONTROL WITH STEERING WHEEL SWITCHES			N/C
79U-002	PTO GOVERNOR RAMP RATE - 50 RPM PER SECOND			N/C
79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			N/C
79W-024	CRUISE CONTROL BUTTON PTO CONTROL			N/C
79X-009	PTO SPEED 1 SETTING - 1200 RPM			N/C
* 80P-998	NO FLEET SPEC FOR PARAMETERIZATION			N/C
80G-015	PTO MINIMUM RPM - 800			N/C
80J-001	REGEN INHIBIT SPEED THRESHOLD - 0 MPH			N/C



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
80V-001	ENGINE MOUNT PTO, DASH SWITCH ENGAGES PTO MODE, STATIONARY OPERATION			N/C
Engine Equipment				
99C-024	EPA 2010/GHG 2024 CONFIGURATION			STD
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
014-108	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10		\$562.00
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-222	(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES	55	20	\$770.00
290-017	BATTERY BOX FRAME MOUNTED			STD
281-001	STANDARD BATTERY JUMPERS			STD
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
293-060	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, LOCKING IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2		\$195.00
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		\$88.00
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2		STD
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			STD
152-040	ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION SYSTEM			N/C
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		STD
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	\$816.00



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			STD
239-026	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			(\$3.00)
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			N/C
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK	-35	-10	N/C
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			(\$17.00)
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD(S)			N/C
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			STD
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
110-003	CUMMINS SPIN ON FUEL FILTER			STD
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			STD
266-104	1115 SQUARE INCH ALUMINUM RADIATOR			STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20		\$487.00
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		\$92.00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C



Prepared For :
Tim Cunningham
KANSAS STATE OF
900 SW JACKSON ST
TOPEKA, KS 66612
UNITED STATES
Phone :785-296-3853

Prepared by:
Mike Grady
Truck Center Companies
2955 S. WEST STREET
WICHITA, KS 67217
Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			STD
Transmission				
342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION			STD
Transmission Equipment				
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			STD
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84K-002	2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY			STD
84N-011	NEUTRAL AT STOP ENABLED			\$420.00
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			STD
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS			STD
353-073	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB,			\$125.00



Prepared For:
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
	WITH CAP			
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			\$125.00
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
345-078	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED			STD
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			STD
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK	15		STD
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			STD
35T-001	ATF-SYNTHETIC AUTOMATIC TRANSMISSION FLUID			STD
Front Axle and Equipment				
400-1BA	DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	210		\$2,253.00
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10		N/C
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS			STD
427-001	FRONT BRAKE DUST SHIELDS	5		\$102.00
409-006	FRONT OIL SEALS			STD
408-022	STEMCO SERIES 350 ALUMINUM FRONT HUB CAPS WITH WINDOW AND REMOVABLE BLUE SENTINEL ESP VENT PLUGS - OIL			\$31.00
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-003	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS			\$51.00
406-001	STANDARD KING PIN BUSHINGS			STD
536-012	TRW TAS-85 POWER STEERING	40		N/C
539-003	POWER STEERING PUMP			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			\$17.00
Front Suspension				
620-006	20,000# FLAT LEAF FRONT SUSPENSION	310		\$815.00
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION			N/C
410-001	FRONT SHOCK ABSORBERS			\$121.00
Rear Axle and Equipment				
420-1K3	MERITOR MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE		2,500	\$10,486.00
421-529	5.29 REAR AXLE RATIO			N/C
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING		40	\$102.00
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	20	20	\$466.00
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			N/C
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	\$1,317.00
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE			N/C
87A-017	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH, DISENGAGE INTERAXLE LOCK WITH IGNITION OFF			N/C
87B-023	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE AT SPEEDS 5 MPH PR LESS, DISENGAGE W/IGN OFF OR SPEEDS EXCEEDING 25 MPH			N/C
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			STD
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			N/C
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS		-20	STD
425-002	REAR BRAKE DUST SHIELDS		10	\$130.00
440-006	REAR OIL SEALS			STD



Prepared For :
Tim Cunningham
KANSAS STATE OF
900 SW JACKSON ST
TOPEKA, KS 66612
UNITED STATES
Phone :785-296-3853

Prepared by:
Mike Grady
Truck Center Companies
2955 S. WEST STREET
WICHITA, KS 67217
Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS		20	N/C
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			\$93.00
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			STD
42T-001	STANDARD REAR AXLE BREATHER(S)			STD
Rear Suspension				
622-297	TUFTRAC GEN2 40,000# REAR SPRING SUSPENSION		840	\$5,571.00
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)			N/C
431-003	AXLE CLAMPING GROUP			N/C
624-025	55 INCH AXLE SPACING			N/C
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS			N/C
439-001	REAR SHOCK ABSORBERS - ONE AXLE			N/C
Pusher / Tag Equipment				
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			STD
Brake System				
490-100	WABCO 4S/4M ABS			(\$179.00)
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
413-002	STD U.S. FRONT BRAKE VALVE			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-086	BW AD-9SI BRAKE LINE AIR DRYER WITH HEATER			\$2.00
479-005	AIR DRYER MOUNTED INBOARD ON RH RAIL			N/C



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
460-001	STEEL AIR BRAKE RESERVOIRS			STD
477-011	PETCOCK DRAIN VALVES ON ALL AIR TANK(S)			(\$3.00)

Trailer Connections

476-998	NO AIR HOSE HANGER			STD
914-025	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND DUST COVERS			\$9.00
296-025	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR COMBINATION STOP/TURN, CENTER PIN ABS			\$15.00
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			N/C
310-998	NO TRAILER ELECTRICAL CABLE			STD

Wheelbase & Frame

545-507	5075MM (200 INCH) WHEELBASE			N/C
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	380	130	\$1,950.00
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			N/C
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			STD
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			N/C
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	140	-20	\$4.00
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) 134.25 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) 131.25 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL 327.95 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE 45.77 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE 79.65 in			N/C
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE 0.0 in			
553-001	SQUARE END OF FRAME			STD



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
550-001	FRONT CLOSING CROSSMEMBER			STD
559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	-12		\$50.00
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30	N/C
Chassis Equipment				
556-997	OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203	-110		(\$488.00)
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$80.00
585-998	NO MUDFLAP BRACKETS			STD
590-998	NO REAR MUDFLAPS			STD
551-001	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS SUSPENSIONS ONLY			(\$77.00)
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			STD
Fifth Wheel				
578-998	NO FIFTH WHEEL			STD
Fuel Tanks				
204-155	90 GALLON/340 LITER ALUMINUM FUEL TANK - LH	15		\$322.00
218-006	25 INCH DIAMETER FUEL TANK(S)			STD
215-007	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS			\$155.00
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-002	CHROME FUEL TANK CAP(S)			\$13.00
122-1J1	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR, HAND PRIMER AND 12 VOLT PREHEATER"	-5		\$51.00
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires				
093-1VB	CONTINENTAL HTR2 385/65R22.5 20 PLY RADIAL FRONT TIRES	104		\$538.00
094-1RW	BRIDGESTONE M726ELA 11R22.5 14 PLY RADIAL REAR TIRES		152	\$184.00
Hubs				
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			STD
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD
Wheels				
502-091	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT 4.75 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	-8		\$636.00
505-1HB	ALCOA 88167X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-248	\$1,072.00
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Exterior				
829-1A5	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
650-008	AIR CAB MOUNTING			STD
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			STD
667-037	SHORT FENDER WITH MUDFLAP			\$141.00
678-001	LH AND RH GRAB HANDLES			STD
646-041	STATIONARY BLACK GRILLE			STD
65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE			STD
644-004	FIBERGLASS HOOD			STD
652-001	FREIGHTLINER NAME PLATES			STD
690-017	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5		\$117.00



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
727-1AJ	DUAL 14 INCH ROUND POLISHED AIR HORNS	4		\$55.00
726-001	SINGLE ELECTRIC HORN			STD
728-002	DUAL HORN SHIELDS			N/C
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS			STD
302-047	LED AERODYNAMIC MARKER LIGHTS			STD
314-823	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH SINGLE CONNECTION AT LH FORWARD			\$108.00
311-019	HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS			\$12.00
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-103	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LED LIGHTS AND LH AND RH REMOTE			\$250.00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
74B-105	RH AND LH 8 INCH HEATED STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH QUADPOD BRACKETS	8		\$160.00
729-001	STANDARD SIDE/REAR REFLECTORS			STD
* 677-054	RH ATS CAB ACCESS W/PLAIN DIAMOND PLATE COVER			\$101.00
275-071	PARK BRAKE REMINDER WARNING SYSTEM WITH ONLY LH DOOR OPEN			\$10.00
768-043	63X14 INCH TINTED REAR WINDOW			STD
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			(\$117.00)
654-011	RH AND LH ELECTRIC POWERED WINDOWS			STD



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
663-029	1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD			\$423.00
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR			\$15.00
647-001	WHITE WINTERFRONT	2		\$60.00
Cab Interior				
055-017	PROFESSIONAL TRIM PACKAGE			N/C
707-105	MIST AND CARBON CLOTH INTERIOR "PROFESSIONAL"			N/C
70K-016	CARBON WITH BASE BLACK ACCENT			(\$100.00)
706-013	MOLDED DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-026	(1)DASH MOUNTED 12V POWER OUTLET, (1)DASH MOUNTED DUAL USB-C OUTLET			\$42.00
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			STD
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-029	M2/SD DASH			STD
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			STD
701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE			\$31.00
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-045	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY			\$16.00
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			STD
702-002	BINARY CONTROL, R-134A			STD



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
739-034	PREMIUM INSULATION			\$145.00
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-1B2	PREMIUM LED CAB LIGHTING			\$50.00
787-998	NO SECURITY DEVICE			N/C
657-1BC	ALL UNIT(S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY NUMBER FT1025			\$43.00
78G-002	KEY QUANTITY OF 2			STD
655-005	LH AND RH ELECTRIC DOOR LOCKS			STD
740-998	NO MATTRESS	-20	-15	STD
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30		\$167.00
760-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	25	10	\$255.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			(\$76.00)
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			(\$70.00)
763-103	BLACK SEAT BELTS WITH DRIVER INDICATOR LIGHT AND AUDIBLE ALARM			\$30.00
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			(\$124.00)
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Instruments & Controls

* 4CH-004	4 EXTRA PROGRAMMABLE SWITCHES/INDICATORS \$C1D0192ZZ,C1E0138ZZ,C4U0215ZZ,C2D0104ZZ			\$97.00
106-002	ELECTRONIC ACCELERATOR CONTROL			STD



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
732-998	NO INSTRUMENT PANEL-DRIVER			STD
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS			STD
870-001	BLACK GAUGE BEZELS			(\$1.00)
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			STD
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			\$25.00
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			STD
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			\$134.00
48H-001	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH CAPS			\$77.00
* 4CG-007	7 EXTRA PROGRAMMABLE SWITCHES/INDICATORS \$C1A0207ZZ,C1B0209ZZ,C3N0165ZZ,C2A0328ZZ,C2B0330ZZ,C2C0329ZZ,C1C0331ZZ			\$66.00
48C-001	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH CAP			N/C
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			\$30.00
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			STD



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			\$60.00
736-998	NO OBSTACLE DETECTION SYSTEM			(\$4,324.00)
72J-998	NO DR ASSIST SYSTEM			(\$32.00)
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			(\$1,019.00)
73B-998	NO LANE DEPARTURE WARNING SYSTEM			(\$1,080.00)
679-998	NO OVERHEAD INSTRUMENT PANEL			STD
35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10		\$735.00
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE			STD
747-001	DASH MOUNTED RADIO			STD
750-002	(2) RADIO SPEAKERS IN CAB			STD
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	2		\$23.00
749-998	NO CB RADIO MOUNTING PROVISION			STD
75W-998	NO MULTIBAND ANTENNA			(\$108.00)
78C-004	INTEROPERABLE SDAR ANTENNA, SHIP LOOSE			(\$4.00)
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			STD
8D1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES			N/C
6TS-009	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL (1) CENTER OF BACKWALL/PASSENGER			\$45.00



Prepared For :
 Tim Cunningham
 KANSAS STATE OF
 900 SW JACKSON ST
 TOPEKA, KS 66612
 UNITED STATES
 Phone :785-296-3853

Prepared by:
 Mike Grady
 Truck Center Companies
 2955 S. WEST STREET
 WICHITA, KS 67217
 Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
SIDE BAGGAGE COMPARTMENT				
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
4E1-004	8 SWITCH SLOTS, DRIVER OVERHEAD CONSOLE			\$52.00
81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY			\$43.00
264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN			STD
482-001	STANDARD TRACTOR PROTECTION VALVE			N/C
883-001	TRAILER HAND CONTROL BRAKE VALVE			N/C
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
660-025	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY WHEN PARK BRAKE SET, TRANSITION TO SLOWEST SPEED			\$19.00
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			N/C
882-021	TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR			\$13.00
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			STD
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			STD
87T-998	NO WRG/SW-OPTL #2,CHAS,AIR			STD
Design				
065-000	PAINT: ONE SOLID COLOR			STD
Color				
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
963-003	STANDARD E COAT/UNDERCOATING			STD
Certification / Compliance				
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD



Prepared For :
Tim Cunningham
KANSAS STATE OF
900 SW JACKSON ST
TOPEKA, KS 66612
UNITED STATES
Phone :785-296-3853

Prepared by:
Mike Grady
Truck Center Companies
2955 S. WEST STREET
WICHITA, KS 67217
Phone :316-945-5600

Data Code	Description	Weight Front	Weight Rear	Retail Price
Secondary Factory Options				
998-998	DEALER ACCEPTS RESPONSIBILITY FOR IN-SERVICE PDI INSPECTION			STD

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY

Adjusted List Price	Adjusted List Price **	\$ 169,726.00
---------------------	------------------------	---------------

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight+	8144 lbs	7272 lbs	15416 lbs
Dealer Installed	0 lbs	0 lbs	0 lbs
Total Weight+	8144 lbs	7272 lbs	15416 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

PMV-024	GHG24 SURCHARGE - CUMMINS	\$555.00
RD1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES	N/C
RAG-020	CUMMINS TARIFF CHARGE - \$205	\$205.00
PAT-025	STEEL, ALUMINUM, AND CHINA TARIFF IMPACT FEE 108/114 SD AND M2 106/112	\$1,500.00
R26-001	MY26 ESCALATOR	\$3,750.00



Prepared For :
Tim Cunningham
KANSAS STATE OF
900 SW JACKSON ST
TOPEKA, KS 66612
UNITED STATES
Phone :785-296-3853

Prepared by:
Mike Grady
Truck Center Companies
2955 S. WEST STREET
WICHITA, KS 67217
Phone :316-945-5600

Other Factory Charges

P73-2FT	STANDARD DESTINATION CHARGE	\$3,375.00
---------	-----------------------------	------------

Dealer Installed Options

		Front Weight	Rear Weight	Price
MTE	STAINLESS STEEL DUMP, SPREADER, 12 FT PLOW, FORCE AMERICA HYDRAULICS, WHELEN LIGHT PACKAGE	0	0	\$155,256.00
TCC	3 AXLE ALIGNMENT	0	0	\$225.00
TCC2	AVERAGE DELIVERY EXPENSES	0	0	\$350.00
Total Dealer Installed Options		0 lbs.	0 lbs.	\$155,831.00

(+) Weights Shown are estimates only.
If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

